



## Stone Restore<sup>®</sup> CT

Oil, Grease and Stain Remover for All Stone Surfaces  
*Powerful Citrus Technology*

Stone Restore CT is designed for the toughest oil stains as found in parking decks and garages.

### Description

This product contains d'limonene, a naturally occurring, bioregenerative solvent. When combined with Presto's proprietary blend of surfactants and emulsifiers, d'limonene works to effectively and efficiently break down the worst oil stains on concrete surfaces, allowing them to be easily removed using a pressure washer.

## REVOLUTIONIZING THE BUILDING MAINTENANCE INDUSTRY

### Specifications

#### Advantages

- Environmentally friendly
- User friendly
- Fights mineral and oil stains simultaneously
- Dissolves grease and oils
- Increased cleaning efficiency
- Pleasant citrus smell

#### Horizontal or Vertical

This product is suitable for use on horizontal or vertical surfaces.

#### Intended Use

This product is formulated for use on concrete surfaces. Do not use on asphalt.

#### Necessary Equipment

- Protective gear
- Running water
- Chemical sprayer
- Pressure washer (optional)
- Stone brush (optional)

#### Dilution

This product is normally used as a spot cleaner and ready to use undiluted. This product should not be diluted.

#### Surface Preparation

Remove as much surface contamination as possible before applying product. Always test in a small, inconspicuous area prior to use.

#### Application

Have running water available to keep the surface damp and to rinse the surface after cleaning. Apply an even coat of cleaner using a low-pressure (40 psi max.), chemical-resistant sprayer, roller, lambs wool applicator or dense sponge or brush. Make sure the sprayer is a metal canister as this product quickly works to break down some rubbers and plastics.

Create an even coat on the surface. Allow cleaner to penetrate the surface for 10-20 minutes, but do not allow the surface to dry.

After product has saturated the stone, thoroughly rinse down the stone to ensure no product is left behind. For best results, use a pressure washer with heated, deionized water. It is always recommended that oil-laden water be captured when cleaning concrete instead of allowing the oil to be washed into the environment.

A second application may be needed for heavily soiled, porous or absorbent surfaces, and should be applied immediately after the initial application. Follow the same instructions for each application.



Situations including various stone types or different natured stains may require multiple products. Presto's stone cleaning line includes:

- **Stone Restore® HD**  
For difficult to remove mineral stains caused by efflorescence, rusting, red clay, iron and more
- **Stone Restore® NC**  
For general cleaning of sensitive stone surfaces that require a neutral cleaner
- **Stone Restore® A+**  
For heavy stains caused by oil, grease, grime and environmental pollution
- **Stone Restore® CB<sup>2</sup>**  
For difficult to remove biological stains
- **Stone Restore® PS**  
For stubborn surface contamination on all types of polished stone

### Recommendations

We recommend the use of one of Presto's stone protective treatments to protect the newly restored surface for years:

- **Leach Stop®** – Mineral Leaching Mitigation Treatment™
- **ElaSticone®** – Silicone sealer for concrete, masonry and stone surfaces
- **ElaSticone® GSX** – Silicone with graffiti protection for concrete, masonry and stone surfaces
- **Protect-A-Stone®** – High-performance oil protection for stone surfaces
- **Stone Guardian®** – UV-resistant, breathable protection for superior water, oil and stain resistance

### Stone Restore® CT Suitability Sheet

Substrate	Type	Polished	Rough	H	V	Coverage Rates
Architectural Materials	Concrete	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Precast	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Cast in Stone	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Stucco	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Terrazzo	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
Siliceous Natural Stone	Quartz	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Quartzite	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Granite	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Serpentine	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Slate	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Sandstone	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Bluestone	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Brownstone	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Flagstone	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
Soapstone	Yes	Yes	Yes	Yes	200 to 400 sq. ft.	
Calcareous Natural Stones	Limestone	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Marble	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Travertine	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
Masonry and Grout	Brick	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Pavers	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Block	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Burnished Block	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Split-Face Block	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
Tile and Grout	Mexican Tile	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Unglazed tile	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Clay	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Terra-Cotta	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Quarry Tile	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Ceramic Tile	Yes	Yes	Yes	Yes	200 to 400 sq. ft.
	Porcelain Tile	Yes	Yes	Yes	Yes	200 to 400 sq. ft.

Coverage rates are calculated based on using an undiluted amount of product  
 Sq. ft. is per gallon of product for one coat of material  
 H - Horizontal Surfaces  
 V - Vertical Surfaces



- **ReJuviSeal®** – Rejuvenating oil protection for stone surfaces
- **Stone Enhancer® Series** – Film-forming, acrylic-based protection for stone surfaces

Stain & Product Effectiveness	
Dust & Dirt	Yes
Mildew	Yes
Mold	Yes
Algae	Yes
Soap Scum	Yes
Exhaust	Yes
Efflorescence	No
Mineral Deposits	Yes
Rust	Yes
Red Clay	Yes
Caulking Residue	Yes
Waterproofing Leaching	Yes
Oil	Yes
Grease	Yes
Food Stains	Yes

### Warranties

The information provided by Presto for the safe and effective use of this product, and all of our products, is believed to be good and accurate. However, due to the many different possible applications of this product, careful considerations should be made when selecting its suitability for each surface.

The information provided should never be substituted for individual testing to ensure the product's compatibility with each surface intended for use. The purchaser shall assume all responsibility for determining the suitability of this product.

When used as intended, this product will perform as stated. No other warranty can be made for this product, verbally or written.

Presto warrants this product to be free from defects. In the event this product is found to be defective, we will provide a sufficient amount of product to replace the defective product.

### Green Synergy Product

Presto's Green Synergy Products™ work synergistically with each other to protect all surfaces of a building without damaging Presto's protective coatings present on those surfaces. These products are designed to be the longest lasting protection available for preserving the appearance of buildings.

Green Synergy Products are designed so that they will not easily break down and leach degrading materials onto adjacent surfaces.

Green Synergy Products work to save you money. Listed on our website is a 10-year Return on Investment graph that depicts the long-term cost savings associated with using Presto's Green Synergy Products compared to competitive options that utilize older technology. More information can be found at [www.IsYourBuildingGreen.com](http://www.IsYourBuildingGreen.com)

Info Chart	
Water Based	No
Flammable	Yes
User Friendly	Yes
Economically Efficient	Yes
Environmentally Friendly	Yes
Color	Yellowish
Smell	Citrus

### About Presto

Presto Restoration Products was created to implement higher performing technology, safer practices and products that provide a better return on investment to the building restoration and maintenance industry. Our expertise is researching and developing products and techniques to restore and preserve the magnificence of high-rise buildings built with architectural glass, metal and stone surfaces.

Presto strives to design products that comply with the Green Building Standards Act, which promotes better environmental standards for the construction, rehabilitation and maintenance of buildings:

- Improve energy efficiency and increase generation of energy through renewable and clean energy technologies
- Increase the demand for environmentally preferable building materials, finishes and furnishings
- Improve the environment by decreasing the discharge of pollutants from buildings



- Create industry and public awareness of new technologies that can improve the quality of life for building occupants
- Improve the health and productivity of building occupants by meeting advanced criteria for indoor environmental quality

At Presto, we have mastered the art of balancing quality and compliance through our dedication to Building Product Synergy™ for a safer, greener environment.

Presto continues to perform extensive research, development and testing on various methods of commercial exterior restoration and preservation.

#### Product Availability

Stone Restore CT is available in the following sizes:

5-Gallon Pail



555 North Point Center East  
4<sup>th</sup> Floor  
Alpharetta, GA 30022

#### Website

[www.PrestoRestorationProducts.com](http://www.PrestoRestorationProducts.com)

#### Phone

770.454.8725  
or 877.329.0472

#### Email

[info@PrestoRestorationProducts.com](mailto:info@PrestoRestorationProducts.com)