

# MATERIAL SAFETY DATA SHEET



Presto Restoration Products, Inc.  
555 North Point Center East, 4th Floor  
Alpharetta, GA 30022  
info@PrestoRestorationProducts.com  
www.PrestoRestorationProducts.com

Product Name  
**Stone Restore® CT**

## SECTION I – EMERGENCY CONTACT

InfoTrac 1-800-535-5053

## SECTION II – HAZARDOUS INGREDIENTS

Component	CAS #	TLV (ppm)	% (in prod.)
Terpene Hydrocarbon	5989-27-5	Not established	80-95

## SECTION III – HEALTH HAZARD

### Acute Effects of Overexposure

Skin:	Causes defatting of the skin which can lead to irritation and dermatitis.
Eyes:	Liquid and vapor may cause eye irritation with redness, pain and tearing.
Inhale:	Vapors may cause irritation to nose, throat and respiratory tract.
Ingest:	May cause stomach pain, nausea and vomiting, irritation of mouth and throat.

### Chronic Effects of Overexposure

Repeated or prolonged exposure may result in defatting of the skin which can lead to dermatitis.

### HMIS Codes

Health:	1	Pers Protection:	B
Flam:	2	Chronic Haz:	N/A
React:	0		

### Carcinogenic Effects

None of the ingredients are listed as carcinogens by NTP, OSHA or IARC.

# MATERIAL SAFETY DATA SHEET

## SECTION IV – FIRST AID MEASURES

### First Aid Procedures

Skin:	Wash contaminated area with soap and water. Get medical attention if irritation develops.
Eyes:	Check for and remove contact lenses. Immediately flush with plenty of water for at least 15 minutes. If irritation develops, consult a physician.
Inhale:	Move affected person to fresh air. If symptoms persist, get medical attention promptly.
Ingest:	If product is swallowed, do not induce vomiting. If vomiting occurs, keep head lower than hips to help prevent aspiration. Never give anything by mouth to an unconscious person. Get medical attention if necessary.

## SECTION V – FIRE AND EXPLOSION DATA

Flash Point (F):	115, Closed Cup	Fire Hazard:	Combustible
Flammable Limits:	ND	Means of Extinction:	Foam, dry chemicals, CO <sub>2</sub>
Fire Fighting Procedure:	Wear self-contained breathing apparatus; avoid breathing vapor (fumes) of heated product. Water in a straight hose stream may cause fire to spread and should be used as a cooling medium only. Vapors are heavier than air and may travel along the ground to an ignition source.		

## SECTION VI – ACCIDENTAL RELEASE MEASURES

Spill Cleanup:	Eliminate all ignition sources. Material should be soaked onto absorbent and shoveled into waste containers. Dispose of contaminated absorbent material in accordance to local, state and federal regulations. Do not release to open, public waters.
----------------	---

## SECTION VII – HANDLING AND STORAGE PROCEDURES

Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists. Keep container closed. Wash hands thoroughly after handling. Do not mix with other chemicals.
Storage:	Keep container in cool, well-ventilated area. Keep container tightly closed. Store away from incompatible materials. Keep out of the reach of children. Keep away from heat, flame or sunlight.

## SECTION VIII – EXPOSURE CONTROLS, PERSONAL PROTECTION

Eye Protection:	Tight-fitting safety goggles are recommended if splashing may occur.
Protective Clothing:	Use rubber, neoprene or nitrile protective gloves.
Respiratory:	Use with adequate ventilation. Use NIOSH respirator if ventilation is inadequate.

# MATERIAL SAFETY DATA SHEET

## SECTION IX – PHYSICAL AND CHEMICAL DATA

Boiling Point (F):	>212	Specific Gravity:	0.845-0.855
VOC Content (%):	80-95	pH:	N/A
Evaporation Rate (Bu acetate=1):	<1	Vap. Pressure (mm Hg):	ND
Vap. Density:	ND	Solubility in Water:	Dispersible
Appearance and Odor:	Clear, pale yellow liquid with citrus odor		

## SECTION X – REACTIVE DATA

Stability:	Stable	Polymerization:	Will not occur
Incompatibility:	Oxidizing agents, strong acids	Hazardous Decomposition:	Carbon monoxide, carbon dioxide, smoke
Conditions to Avoid:	Heat, flame, sparks		

## SECTION XI – TOXOLOGICAL INFORMATION

Effects of acute exposure to product:	Liquid and vapor irritating to eyes, skin and respiratory tract.
Effects of chronic exposure to product:	Prolonged skin contact may result in defatting of the skin which can lead to dermatitis.

## SECTION XII – ECOLOGICAL INFORMATION

Ecological Information:	Biodegradable	Biodegradable/OECD:	Completely
-------------------------	---------------	---------------------	------------

## SECTION XIII – DISPOSAL CONSIDERATIONS

Waste Disposal Method:	Liquid wastes are not permitted in landfills. Consult local, state and/or federal agencies for proper disposal in your area. Cap empty bottle tightly.
Classification:	A waste containing this product may have the RCRA hazardous waste no. D001 (Ignitable) (40 CFR 261.22).

## SECTION XIV – TRANSPORT INFORMATION

Proper Shipping Name:	COMBUSTIBLE LIQUID N.O.S. (Terpene Hydrocarbon)	DOT Classification:	Combustible
UN Number:	COMBUSTIBLE LIQUID, UN 1993, III		

*Combustible Liquid: This material is not regulated under 49 CFR if in a container of 119 gallon capacity or less. Exception CFR 173.150(f) (2): Combustible liquids.*

# MATERIAL SAFETY DATA SHEET

## SECTION XV – REGULATORY INFORMATION

### SARA 313 toxic chemical notification and release reporting - regulated substance:

Clean Air Act (CAA) 112 regulated toxic substances:	No product found
Section 302:	Not listed
Section 311/312:	Immediate and Delayed Health and Fire Hazard
Section 313:	Not Listed
CERCLA:	Not reportable

## SECTION XVI – OTHER INFORMATION

#2750 - SML

To the best of our knowledge, information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

To download this MSDS or obtain more information on Presto products, please visit [www.PrestoRestorationProducts.com](http://www.PrestoRestorationProducts.com).