

# **SECTION 1 – IDENTIFICATION**

Product Identifier: Product Use: Manufactured for: Glass Resurfacer Stripper Remove heavy mineral staining Presto Restoration Products 401 East Jackson Street Suite 2340 Tampa, Florida 33602 Emergency Telephone #: INFOTRAC 1-352-323-3500 (Int'l) 1-800-535-5053 (North America) Company Phone Number: 1-877-329-0472 770-454-8725 UN/ID No: UN1790 Date Prepared: September 26, 2013 Date Revised: July 29, 2024

info@PrestoRestorationProducts.com www.PrestoRestorationProducts.com

## SECTION 2 – HAZARD(S) IDENTIFICATION

Appearance Clear liquid

Physical State Liquid

Odor Slight HF odor

### Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

#### Signal Word Danger

#### **Hazard Statements**

Toxic if swallowed Fatal in contact with skin Harmful if inhaled Causes severe skin burns and eye damage



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not get in eyes, on skin, or on clothing Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

IF IN EYES:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair):	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.
IF INHALED:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
IF SWALLOWED:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do not induce vomiting.

## Precautionary Statements - Storage

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydrofluoric acid	7664-39-3	<5

# SECTION 4 - FIRST AID MEASURES

First Aid Measures General Advice:	When seeking medical attention, emphasize exposure to hydrofluoric acid.
Eye Contact:	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek immediate medical attention/advice.
<u>Skin Contact:</u>	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. Get immediate medical attention while applying and massaging 2.5% calcium gluconate gel or while soaking skin with 0.13% zephiran chloride solution.
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration . If breathing is difficult, give oxygen. Seek immediate medical attention/advice.
Ingestion:	Rinse mouth. Do not induce vomiting. If spontaneous vomiting occurs, keep head below hips to prevent aspiration and monitor breathing. Never give anything by mouth to an unconscious person. Seek medical attention immediately.
Most Important Symptoms	and Effects
Symptoms:	Symptoms may be delayed. May cause hypocalcemia. Can also cause bone and joint

Symptoms may be delayed. May cause hypocalcemia. Can also cause bone and joint changes in humans (Fluorosis). Death. In severe cases, burns, corneal damage, and blindness may occur. May cause irritation to the mucous membranes and upper respiratory tract. Irritation and corrosive burns to mouth, throat, and stomach. May cause impaired kidney function.

 Indication of Any Immediate Medical Attention and Special Treatment Needed

 Notes to Physician:
 Possible fluoride exposure.

# SECTION 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam.

## **Unsuitable Extinguishing Media**

Not determined.

## **Specific Hazards Arising from the Chemical**

Toxic fumes may be given off when material is exposed to fire.

## Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures <u>Personal Precautions:</u> Use personal protective equipment as required.

Environmental Precautions: See Section 12 for additional Ecological Information.

## Methods and Material for Containment and Cleaning Up

<u>Methods for Containment:</u> Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up: Dilute with water and mop up, or absorb with an inert material and place in appropriate waste container in accordance with local, state and federal guidelines.

# SECTION 7 - HANDLING AND STORAGE

### **Precautions for Safe Handling**

Advice on Safe Handling:Wash thoroughly after handling. Use personal protection recommended in Section 8. Do<br/>not breathe dusUfume/gas/misUvapors/spray. Do not eat, drink or smoke when using this<br/>product. Use only in well-ventilated areas. Do not get in eyes, on skin, or on clothing.Conditions for Safe Storage.Including Any Incompatibilities<br/>Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and<br/>out of reach of children. Store away from heat and incompatible materials.

Incompatible Materials: Oxidizing agents. Strong alkalis.

# SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
	TWA: 0.5 ppm F TWA: 2.5 mg/m <sup>3</sup>	TWA: 3 ppm F TWA: 2.5 mg/m <sup>3</sup> F	
7664-39-3	F S*	TWA: 2.5 mg/m <sup>3</sup> dust (vacated) TWA: 3 ppm F	Ceiling: 6 ppm 15 min Ceiling: 5 mg/m <sup>3</sup> 15 min
	Ceiling: 2 ppm F	(vacated) TWA: 2.5 mg/m <sup>3</sup> (vacated) STEL: 6 ppm F	TWA: 3 ppm TWA: 2.5 mg/m <sup>3</sup>

#### **Appropriate Engineering Controls**

Engineering Controls: Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.

### Individual Protection Measures, Such as Personal Protective Equipment

Eye/Face Protection: Wear splash goggles and face shield.

- Skin and Body Protection: Wear chemical-resistant gloves, suit, and boots.
- <u>Respiratory Protection:</u> When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations:

Handle in accordance with good industrial hygiene and safety practice.

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

## Information on Basic Physical and Chemical Properties

<b>Physical State</b>	<b>Appearance</b>	<b>Color</b>	<b>Odor</b>	Odor Threshold
Liquid	Clear liquid	Not determined	Slight HF odor	Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Explosive Properties Oxidizing Properties VOC Content (%)	Values 1.05-1.1 Not determined 100 °CI 212 °F Not flammable Not available n/a-liquid Not applicable Not applicable Not available 1.05-1.1 Completely soluble Not determined Not determined	Remarks • Met	hod	

# SECTION 10 - STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

Oxidizing agents. Strong alkalis.

### **Hazardous Decomposition Products**

None known based on information supplied.

## SECTION 11 – TOXOLOGICAL INFORMATION

## Information on Likely Routes of Exposure

## **Product Information**

Eye Contact:	Causes severe eye damage.
Skin Contact:	Causes severe skin burns. Fatal in contact with skin.
Inhalation:	Harmful if inhaled.
Ingestion:	Toxic if swallowed.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrofluoric acid	4 C		= 850 mg/m³(Rat)1 h = 1276
7664-39-3			ppm (Rat)1h

#### Information on Physical, Chemical and Toxicological Effects

Symptoms: Please see section 4 of this SOS for symptoms.

#### Delayed and Immediate Effects as Well as Chronic Effects From Short and Long-Term Exposure

<u>Carcinogenicity:</u> This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

## **Numerical Measures of Toxicity**

Not determined

## SECTION 12 – ECOLOGICAL INFORMATION

### Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrofluoric acid 7664-39-3		660: 48 h Leuciscus idus mg/L LC50		270: 48 h Daphnia species mg/L EC50

#### Persistence/Degradability Not determined

#### **Bioaccumulation** Not determined

Not determined

## Mobility

Chemical Name	Partition Coefficient
Hydrofluoric acid 7664-39-3	-1.4

### **Other Adverse Effects**

Not determined

## SECTION 13 - DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

<u>Contaminated Packaging:</u> Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **US EPA Waste Number**

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Hydrofluoric acid 7664-39-3	U134			U134

# **SECTION 14 - TRANSPORT INFORMATION**

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT <u>UN/ID No:</u> <u>Proper Shipping Name:</u> <u>Hazard Class:</u> <u>Subsidiary Hazard Class:</u> <u>Packing Group:</u>	UN1790 Hydrofluoric acid solution 8 6.1 II
IATA UN/ID No: Proper Shipping Name: Hazard Class: Subsidiary Hazard Class: Packing Group:	UN1790 Hydrofluoric acid solution 8 6.1 II

IMDGUN/ID No:UN1790Proper Shipping Name:Hydrofluoric acid solutionHazard Class:8Subsidiary Hazard Class:6.4Packing Group:II

# SECTION 15 - REGULATORY INFORMATION

International Inventories Not determined

**US Federal Regulations** 

#### CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrofluoric acid	100 lb	100 lb	RQ 100 lb final RQ
7664-39-3			RQ 45.4 kg final RQ

## SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hydrofluoric acid - 7664-39-3	7664-39-3	<5	1.0

### **CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrofluoric acid 7664-39-3(<5)	100 lb			х

**US State Regulations** 

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrofluoric acid 7664-39-3	Х	X	Х

# **SECTION 16 – OTHER INFORMATION**

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
HMIS	Health Hazards	Flammability	<b>Physical Hazards</b>	Personal Protection
	3	0	1	Not determined

Issue Date:	26-Sep-2013
Revision Date:	29-July-2024
Revision Note:	New format. Updated company address & phone number.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.