

SAFETY DATA SHEET



SECTION 1 – IDENTIFICATION

Product Identifier: Metal Protector MD
Product Use: Metal Sealer
Manufactured for: Presto Restoration Products
401 East Jackson Street
Suite 2340
Tampa, Florida 33602

Emergency Telephone #:
INFOTRAC 1-352-323-3500 (Int'l)
1-800-535-5053 (North America)
Company Phone Number:
1-877-329-0472
770-454-8725

Date Prepared: August 12, 2015
Date Revised: July 29, 2024
info@PrestoRestorationProducts.com
www.PrestoRestorationProducts.com

SECTION 2 – HAZARD(S) IDENTIFICATION

Appearance Clear liquid

Physical State Liquid

Odor Petroleum

Classification

Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable Liquids	Category 4

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed
May be harmful in contact with skin

Signal Word

Danger

Hazard Statements

May cause an allergic skin reaction
May cause genetic defects
Suspected of damaging fertility or the unborn child
Causes damage to organs through prolonged or repeated exposure
May be fatal if swallowed and enters airways
Combustible liquid



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Use only outdoors or in a well-ventilated area
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Keep cool

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
IF ON SKIN: Wash with plenty of soap and water
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do not induce vomiting
IN CASE OF FIRE: Use CO₂, dry chemical, or foam for extinction

SAFETY DATA SHEET

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Proprietary Solvent #1	Proprietary	90-99
Proprietary Solvent #2	Proprietary	<5
Proprietary siloxane	Proprietary	<1
Proprietary ketoxime	Proprietary	<1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

SECTION 4 – FIRST AID MEASURES

First Aid Measures

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical attention if irritation develops.

Skin Contact: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call for prompt medical attention.

Ingestion: Do not induce vomiting. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Call a physician or poison control center immediately.

Most Important Symptoms and Effects

Symptoms: May cause an allergic skin reaction . May be fatal if swallowed and enters airways. Overexposure by inhalation may be irritating to respiratory passages and cause other effects such as nausea, dizziness and drowsiness. Irritating to mouth, throat, and stomach if ingested. Nausea and vomiting with gastrointestinal disorder. Direct contact may cause skin or eye irritation. May aggravate pre-existing skin conditions.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician: Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

Combustible liquid.

Hazardous Combustion Products

Carbon monoxide. Carbon dioxide (CO₂).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SAFETY DATA SHEET

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions: Use personal protective equipment as required. Remove all sources of ignition.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and Material for Containment and Cleaning Up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up: Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Do not breathe vapors or spray mist. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep locked up and out of reach of children. Store away from incompatible materials.

Incompatible Materials: Strong acids. Oxidizing agents.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate Engineering Controls

Engineering Controls: Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual Protection Measures, Such as Personal Protective Equipment

Eye/Face Protection: Tight sealing safety goggles. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection: Wear rubber, nitrile, or neoprene gloves. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection: Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene

Considerations: Handle in accordance with good industrial hygiene and safety practice. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Appearance	Color	Odor	Odor Threshold
Liquid	Clear liquid	Clear	Petroleum	Not determined

SAFETY DATA SHEET

Property	Values	Remarks • Method
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	186 °C / 368 °F	
Flash Point	61 °C / 142 °F	
Evaporation Rate	> 1	(butyl acetate = 1)
Flammability (Solid, Gas)	Liquid-not applicable	
Upper Flammability Limits	7%	
Lower Flammability Limit	1%	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	0.8-0.85	
Water Solubility	Not soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
VOC Content	<94%	

SECTION 10 – STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

See Sec. 7 Handling & Storage.

Incompatible Materials

Strong acids. Oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO₂).

SECTION 11 – TOXOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

<u>Eye Contact:</u>	Avoid contact with eyes.
<u>Skin Contact:</u>	May be harmful in contact with skin.
<u>Inhalation:</u>	Avoid breathing vapors or mists.
<u>Ingestion:</u>	May be harmful if swallowed.

SAFETY DATA SHEET

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary Solvent #1	> 5000 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	> 5.28 mg/L (Rat) 4 h
Proprietary Solvent #2	-	= 3000 mg/kg (Rabbit)	-
Proprietary ketoxime	= 930 mg/kg (Rat)	= 0.2 mg/kg (Rabbit)	= 20 mg/L (Rat) 4 h
Proprietary siloxane	= 1540 mg/kg (Rat)	= 794 µL/kg (Rabbit)	= 36 g/m ³ (Rat) 4 h

Information on Physical, Chemical and Toxicological Effects

Symptoms: Please see section 4 of this SOS for symptoms.

Delayed and Immediate Effects as Well as Chronic Effects From Short and Long-Term Exposure

Sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: May cause genetic defects.

Carcinogenicity: Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

STOT - Repeated Exposure: Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Numerical Measures of Toxicity

Not determined

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary Solvent #1	450: 96 h Pseudokirchneriella subcapitata mg/L EC50	800: 96 h Pimephales promelas mg/L LC50 static		100: 48 h Daphnia magna mg/L EC50
Proprietary Solvent #2	4700: 72 h Pseudokirchneriella subcapitata mg/L EC50			
Proprietary ketoxime	83: 72 h Desmodesmus subspicatus mg/L EC50	777 - 914: 96 h Pimephales promelas mg/L LC50 flow- through 760: 96 h Poecilia reticulata mg/L LC50 static 320 - 1000: 96 h Leuciscus idus mg/L LC50 static	EC50 = 281 mg/L 17 h EC50 = 950 mg/L 5 min	750: 48 h Daphnia magna mg/L EC50
Proprietary siloxane		500: 96 h Brachydanio rerio mg/L LC50 1000: 96 h Lepomis macrochirus mg/L LC50		25.2: 24 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

SAFETY DATA SHEET

Mobility

Chemical Name	Partition Coefficient
Proprietary ketoxime	0.65
Proprietary siloxane	5.1

Other Adverse Effects

Not determined

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes: Disposal should be in accordance with applicable regional , national and local laws and regulations.

Contaminated Packaging: Disposal should be in accordance with applicable regional , national and local laws and regulations.

SECTION 14 – TRANSPORT INFORMATION

Note: Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. According to 49 CFR §173.150(f)(1), this material should be reclassified as "NA1993, Combustible Liquid, N.O.S." if it is shipped in bulk.

DOT: Not regulated

IATA: Not regulated

IMDG:
Marine Pollutant This material may meet the definition of a marine pollutant

SECTION 15 – REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Proprietary Solvent #1	Present	X		Present		Present	X	Present	X	X
Proprietary Solvent #2	Present	X		Present			X	Present	X	X
Proprietary siloxane	Present	X		Present		Present	X	Present	X	X
Proprietary ketoxime	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Not determined

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Proprietary Solvent #1	X		

SAFETY DATA SHEET

SECTION 16 – OTHER INFORMATION

NFPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
HMIS	Health Hazards 2	Flammability 2	Physical Hazards 0	Personal Protection B

Issue Date: 12-Aug-2015
Revision Date: 29-July-2024
Revision Note: New format. Updated company address & phone number.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.