



## Stone Restore CB<sup>2</sup>

### High-Powered Chlorine Bleach Concentrated Stone Restoration Cleaner

Stone Restore CB<sup>2</sup> effectively fights stains from microorganisms such as green and black algae and mold allowing them to be easily removed using water.

#### Description

This product functions as compounded-strength chlorine bleach, which is not available at common retail outlets. This product also contains Presto's proprietary blend of scum-free surfactants and degreasers to help loosen dirt and oils so that they may be cleaned away revealing a stain-free surface.

## REVOLUTIONIZING THE BUILDING MAINTENANCE INDUSTRY

### Specifications

#### Advantages

- Fights stains caused by mold, mildew and red clay
- Safe for brick and block
- Quick bleaching action
- Deep penetrating action

#### Horizontal or Vertical

Product is suitable for use on horizontal or vertical surfaces.

#### Intended Use

This product is designed for use on most types of stone and painted surfaces.

#### Necessary Equipment

- Protective gear
- Running water
- Chemical sprayer
- Pressure washer (optional)
- Stone brush (optional)

#### Dilution

Stone Restore CB<sup>2</sup> should be used at a dilution rate of at least 3 to 1. For brick surfaces, dilute 1 to 9 with water. For concrete with stubborn stains, start by using a 10 to 1 mix, then dilute as needed.

#### Surface Preparation

Protect unintended surfaces from contact, including traffic and pedestrian areas below the project, electric tools, fabrics, furniture, fixtures and plants. Always test in a small, inconspicuous area prior to use.

#### Application

Wet intended surface prior to application. Have running water available to keep the surface damp. Apply an even coat of cleaner using a low-pressure (40 psi max.), chemical-resistant sprayer. Keep area moistened with

Stone Restore CB<sup>2</sup> to loosen soil. Immediately rinse unintended surfaces, such as glass or frames.

For deep stains, allow the cleaner to penetrate the substrate for 10-20 minutes, but never allow surface to dry.

After product has saturated the stone, rinse using a pressure washer and a white, 40-degree tip or a green, 25-degree tip. Keep the tip as far away from the surface as possible. If a pressure washer is not available, use a brush to help loosen stubborn soils. For best results, use heated, deionized water.

Always rinse the area thoroughly to ensure no product is left behind. Multiple applications may be required for heavily soiled, porous or absorbent surfaces, and should



be applied immediately after the initial application. Follow the same instructions for each application.

Situations including various stone types or different natured stains may require multiple products. Presto's stone cleaning line includes:

- **Stone Restore HD**  
For difficult to remove mineral stains caused by efflorescence, rusting, red clay, iron and more
- **Stone Restore NC**  
For general cleaning of sensitive stone surfaces that require a neutral cleaner
- **Stone Restore A+**  
For heavy stains caused by oil, grease, grime and environmental pollution
- **Stone Restore CT**  
A multi-purpose stone cleaner that removes a variety of stains from all types of stone materials
- **Stone Restore PS**  
For stubborn surface contamination on all types of polished stone

### Precautions

Stone Restore CB<sup>2</sup> may cause discoloration on some stone surfaces or affect adhesion of water repellants if used incorrectly. Never let this product dry on surface. Do not mix this product with any other chemicals.

Stone Restore CB <sup>2</sup> Suitability Sheet						
Substrate	Type	Polished	Rough	H	V	Coverage Rates
Architectural Materials	Concrete	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Precast	Yes	Yes	Yes	Yes	150 to 250 sq. ft.
	Cast in Stone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
	Stucco	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Terrazzo	Yes	Yes	Yes	Yes	150 to 250 sq. ft.
Siliceous Natural Stone	Quartz	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Quartzite	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Granite	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Serpentine	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Slate	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Sandstone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
	Bluestone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
	Brownstone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
	Flagstone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
Soapstone	Yes	Yes	Yes	Yes	300 to 500 sq. ft.	
Calcareous Natural Stones	Limestone	No	No	No	No	n/a
	Marble	No	No	No	No	n/a
	Travertine	No	No	No	No	n/a
Masonry and Grout	Brick	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Pavers	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Block	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Burnished Block	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Split-Face Block	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
Tile and Grout	Mexican Tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Unglazed tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Clay	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Terra-Cotta	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Quarry Tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Ceramic Tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Porcelain Tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.

Coverage rates are calculated based on using an undiluted amount of product  
 Sq. ft. is per gallon of product for one coat of material  
 H - Horizontal Surfaces  
 V - Vertical Surfaces





### Stain & Product Effectiveness

Dust & Dirt	Yes
Mildew	Yes
Mold	Yes
Algae	Yes
Soap Scum	Yes
Exhaust	Yes
Efflorescence	No
Mineral Deposits	No
Rust	No
Red Clay	No
Caulking Residue	No
Waterproofing Leaching	No
Oil	No
Grease	No
Food Stains	Yes

### Recommendations

We recommend the use of one of Presto's stone protective treatments to protect the newly restored surface for years:

- **Leach Stop** – Mineral Leaching Mitigation Treatment
- **ElaSticone** – Silicone sealer for concrete, masonry and stone surfaces
- **ElaSticone GSX** – Silicone with graffiti protection for concrete, masonry and stone surfaces
- **Protect-A-Stone** – High-performance oil protection for stone surfaces
- **Stone Guardian** – UV-resistant, breathable protection for superior water, oil and stain resistance
- **ReJuviSeal** – Rejuvenating oil protection for stone surfaces
- **Stone Enhancer Series** – Film-forming, acrylic-based protection for stone surfaces

### Warranties

The information provided by Presto for the safe and effective use of this product, and all of our products, is believed to be good and accurate. However, due to the many different possible applications of this product, careful considerations should be made when selecting its suitability for each surface.

The information provided should never be substituted for individual testing to ensure the product's compatibility with each surface intended for use. The purchaser shall assume all responsibility for determining the suitability of this product. When used as intended, this product will perform as stated. No other warranty can be made for this product, verbally or written.

Presto warrants this product to be free from defects. In the event this product is found to be defective, we will provide a sufficient amount of product to replace the defective product.

### Info Chart

Water Based	Yes
Flammable	No
User Friendly	No
Economically Efficient	Yes
Environmentally Friendly	No
Color	Yellowish green
Smell	Bleach

### Green Synergy Product

Presto's Green Synergy Products work synergistically with each other to protect all surfaces of a building without damaging Presto's protective coatings present on those surfaces. These products are designed to be the longest lasting protection available for preserving the appearance of buildings.

Green Synergy Products are designed so that they will not easily break down and leach degrading materials onto adjacent surfaces.

Green Synergy Products work to save you money. Listed on our website is a 10-year Return on Investment graph that depicts the long-term cost savings associated with using Presto's Green Synergy Products compared to competitive options that utilize older technology. More information can be found at [www.IsYourBuildingGreen.com](http://www.IsYourBuildingGreen.com)

### About Presto

Presto Restoration Products was created to implement higher performing technology, safer practices and products that provide a better return on investment to the building restoration and maintenance industry. Our expertise is researching and developing products and techniques to restore and preserve the magnificence of high-rise buildings built with architectural glass, metal and stone surfaces.

Presto strives to design products that comply with the Green Building Standards Act, which promotes better



environmental standards for the construction, rehabilitation and maintenance of buildings:

- Improve energy efficiency and increase generation of energy through renewable and clean energy technologies
- Increase the demand for environmentally preferable building materials, finishes and furnishings
- Improve the environment by decreasing the discharge of pollutants from buildings
- Create industry and public awareness of new technologies that can improve the quality of life for building occupants
- Improve the health and productivity of building occupants by meeting advanced criteria for indoor environmental quality

At Presto, we have mastered the art of balancing quality and compliance through our dedication to Building Product Synergy for a safer, greener environment.

Presto continues to perform extensive research, development and testing on various methods of commercial exterior restoration and preservation.

**Product Availability**  
Stone Restore CB<sup>2</sup> is available in the following sizes:  
5-Gallon Pail



401 East Jackson Street  
Suite 2340  
Tampa, Florida 33602

**Website**  
[www.PrestoRestorationProducts.com](http://www.PrestoRestorationProducts.com)

**Phone**  
770.454.8725  
or 877.329.0472

**Email**  
[info@PrestoRestorationProducts.com](mailto:info@PrestoRestorationProducts.com)