



Stone Restore PS

Polished Stone Stain Remover Cream

Stone Restore PS is a restorative cream that safely removes waterproofing overspray, soap scum, lime, calcium and other unwanted stains from polished stone surfaces.

Description

This product is specially formulated to safely and efficiently remove stains from polished stone without the use of machinery that are caused by soap scum, sealer and repellent overspray, caulking residue, calcium and lime buildup and more.

REVOLUTIONIZING THE BUILDING MAINTENANCE INDUSTRY

Specifications

Advantages

- Safe on sensitive stone
- Environmentally friendly
- Removes soap scum
- Removes mineral deposits
- Removes waterproofing overspray
- Fights grease and grime
- No harsh abrasives
- Acid-free
- Water-based
- Cost-effective
- Non-greasy
- Easy to use

Horizontal or Vertical

This product is suitable for use on horizontal or vertical polished stone surfaces.

Intended Use

This product is formulated for use on polished stone surfaces only and not rough surfaces.

Coverage Rates

1,000 to 1,500 sq. ft. per gal. depending on level of staining

Necessary Equipment

- Protective gear
- White, synthetic, non-abrasive pad
- Absorbent rag or towel

Surface Preparation

Surface must be cleaned to remove any dirt or sand that may scratch the polished stone. It is extremely important that the application pad or rag used with this product is never contaminated with these or other types of harmful abrasives. Always test in a small, inconspicuous area prior to use to ensure no scratching or undesirable effects are caused.

Application

Apply with either a clean, dry window cleaning rag or a white, synthetic, non-abrasive pad. Rub the surface in a circular motion until the stain is removed, wiping away any excess product.

If the surface of the stone is dark and white pigments from this product are noticeable in the pores of the stone, use a pressure washer or spray bottle to remove the excess material from the pores of the stone. Do not use shoe polish or any other dark filler as these materials easily break down and cause staining on building surfaces. Follow the same instructions for each application.

Situations including various stone types or different natured stains may require multiple products. Presto's stone cleaning line includes:

- **Stone Restore HD**
For difficult to remove mineral stains caused by efflorescence, rusting, red clay, iron and more.
- **Stone Restore NC**
For general cleaning of sensitive stone surfaces that require a neutral cleaner



- **Stone Restore A+**
For heavy stains caused by oil, grease, grime and environmental pollution
- **Stone Restore CT**
A multi-purpose stone cleaner that removes a variety of stains from all types of stone materials
- **Stone Restore CB²**
For difficult to remove biological stains

Precautions

If product is allowed to dry out and become dusty, appropriate respiratory protection must be used. This product may cause minor scratching when used in conjunction with a polisher or abrasive pad.

Recommendations

We recommend the use of one of Presto's stone protective treatments to protect the newly restored surface for years:

- **Leach Stop** – Mineral Leaching Mitigation Treatment
- **ElaSticone** – Silicone sealer for concrete, masonry and stone surfaces
- **ElaSticone GSX** – Silicone with graffiti protection for concrete, masonry and stone surfaces
- **Protect-A-Stone** – High-performance oil protection for stone surfaces
- **Stone Guardian** – UV-resistant, breathable protection for superior water, oil and stain resistance
- **ReJuviSeal** – Rejuvenating oil protection for stone surfaces
- **Stone Enhancer Series** – Film-forming, acrylic-based protection for stone surfaces

| Stone Restore PS Suitability Sheet | | | | | | |
|------------------------------------|------------------|----------|-------|-----|--------------------|--------------------|
| Substrate | Type | Polished | Rough | H | V | Coverage Rates |
| Architectural Materials | Concrete | No | No | No | No | 1k to 1.5k sq. ft. |
| | Precast | No | No | No | No | 1k to 1.5k sq. ft. |
| | Cast in Stone | No | No | No | No | 1k to 1.5k sq. ft. |
| | Stucco | No | No | No | No | 1k to 1.5k sq. ft. |
| | Terrazzo | No | No | No | No | 1k to 1.5k sq. ft. |
| Siliceous Natural Stone | Quartz | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Quartzite | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Granite | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Serpentine | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Slate | No | No | No | No | 1k to 1.5k sq. ft. |
| | Sandstone | No | No | No | No | 1k to 1.5k sq. ft. |
| | Bluestone | No | No | No | No | 1k to 1.5k sq. ft. |
| | Brownstone | No | No | No | No | 1k to 1.5k sq. ft. |
| | Flagstone | No | No | No | No | 1k to 1.5k sq. ft. |
| Soapstone | No | No | No | No | 1k to 1.5k sq. ft. | |
| Calcareous Natural Stones | Limestone | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Marble | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Travertine | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| Masonry and Grout | Brick | No | No | No | No | 1k to 1.5k sq. ft. |
| | Pavers | No | No | No | No | 1k to 1.5k sq. ft. |
| | Block | No | No | No | No | 1k to 1.5k sq. ft. |
| | Burnished Block | No | No | No | No | 1k to 1.5k sq. ft. |
| | Split-Face Block | No | No | No | No | 1k to 1.5k sq. ft. |
| Tile and Grout | Mexican Tile | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Unglazed tile | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Clay | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Terra-Cotta | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Quarry Tile | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Ceramic Tile | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |
| | Porcelain Tile | Yes | No | Yes | Yes | 1k to 1.5k sq. ft. |

Coverage rates are calculated based on using an undiluted amount of product
 Sq. ft. is per gallon of product for one coat of material
 H - Horizontal Surfaces
 V - Vertical Surfaces
 k - Thousand



Stain & Product Effectiveness

| | |
|------------------------|-----|
| Dust & Dirt | Yes |
| Mildew | Yes |
| Mold | Yes |
| Algae | Yes |
| Soap Scum | Yes |
| Exhaust | Yes |
| Efflorescence | Yes |
| Mineral Deposits | Yes |
| Rust | Yes |
| Red Clay | Yes |
| Caulking Residue | Yes |
| Waterproofing Leaching | Yes |
| Oil | Yes |
| Grease | Yes |
| Food Stains | Yes |

Warranties

The information provided by Presto for the safe and effective use of this product, and all of our products, is believed to be good and accurate. However, due to the many different possible applications of this product, careful considerations should be made when selecting its suitability for each surface.

The information provided should never be substituted for individual testing to ensure the product's compatibility with each surface intended for use. The purchaser shall assume all responsibility for determining the suitability of this product. When used as intended, this product will perform as stated. No other warranty can be made for this product, verbally or written.

Presto warrants this product to be free from defects. In the event this product is found to be defective, we will provide a

sufficient amount of product to replace the defective product.

Green Synergy Product

Presto's Green Synergy Products work synergistically with each other to protect all surfaces of a building without damaging Presto's protective coatings present on those surfaces. These products are designed to be the longest lasting protection available for preserving the appearance of buildings.

Green Synergy Products are designed so that they will not easily break down and leach degrading materials onto adjacent surfaces.

Green Synergy Products work to save you money. Listed on our website is a 10-year Return on Investment graph that depicts the long-term cost savings associated with using Presto's Green Synergy Products compared to competitive options that utilize older technology. More information can be found at www.IsYourBuildingGreen.com

Info Chart

| | |
|--------------------------|-------|
| Water Based | Yes |
| Flammable | No |
| User Friendly | Yes |
| Economically Efficient | Yes |
| Environmentally Friendly | Yes |
| Color | Green |
| Smell | Lemon |

About Presto

Presto Restoration Products was created to implement higher performing technology, safer practices and products that provide a better return on investment to the building restoration and maintenance industry. Our expertise is researching and developing products and techniques to restore and preserve the magnificence of high-rise buildings built with architectural glass, metal and stone surfaces.

Presto strives to design products that comply with the Green Building Standards Act, which promotes better environmental standards for the construction, rehabilitation and maintenance of buildings:

- Improve energy efficiency and increase generation of energy through renewable and clean energy technologies
- Increase the demand for environmentally preferable building materials, finishes and furnishings
- Improve the environment by decreasing the discharge of pollutants from buildings
- Create industry and public awareness of new technologies that can improve the quality of life for building occupants
- Improve the health and productivity of building occupants by meeting advanced criteria for indoor environmental quality



At Presto, we have mastered the art of balancing quality and compliance through our dedication to Building Product Synergy for a safer, greener environment.

Presto continues to perform extensive research, development and testing on various methods of commercial exterior restoration and preservation.

Product Availability

Stone Restore PS is available in the following sizes:

5-Gallon Pail



401 East Jackson Street
Suite 2340
Tampa, Florida 33602

Website

www.PrestoRestorationProducts.com

Phone

770.454.8725
or 877.329.0472

Email

info@PrestoRestorationProducts.com